




# multi•mount™

patented standoff system

Resin Range	Standard Sizes		Dimensions
	Small	Medium	Large



Standard A + B + C Parts	Maximum Part Capacities				Optional Extra D Parts	
PART ▶	B PARTS		C PARTS		D PARTS	
SIZE ▼	Metric	Imperial	Metric	Imperial	Metric	Imperial
<b>SMALL</b>						
Max load per part	6 kgs	13.2 lbs	4 kgs	8.8 lbs	6 kgs	13.2 lbs
Max panel weight	12 kgs	26.4 lbs	8 kgs	17.6 lbs	12 kgs	26.4 lbs
Max panel thickness	4mm	.16"	4mm	.16"	4mm	.16"
<b>MEDIUM</b>						
Max load per part	8 kgs	17.6 lbs	4 kgs	8.8 lbs	8 kgs	17.6 lbs
Max panel weight	16 kgs	35.2 lbs	8 kgs	17.6 lbs	16 kgs	35.2 lbs
Max panel thickness	8mm	.31"	8mm	.31"	8mm	.31"
<b>LARGE</b>						
Max load per part	10 kgs	22 lbs	4 kgs	8.8 lbs	10 kgs	22 lbs
Max panel weight	20 kgs	44 lbs	8 kgs	17.6 lbs	20 kgs	44 lbs
Max panel thickness	12mm	.47"	10mm	.39"	12mm	.47"

**IMPORTANT**

- Maximum load per multimount should not exceed the maximum load per B Part.
- Maximum total load should not exceed the maximum panel weight in the B Parts column.
- Maximum panel weight is fixed and does not increase with extra multimounts.

**Installers must ensure that:**

- Any of the limits detailed above are not exceeded.
- A Parts are securely fixed using screws or bolts that are strong enough to support the total load.
- When A Parts are mounted on brick, concrete or hollow walls etc then anchors, cavity fasteners, plugs or toggles designed for use with that type of wall are used.

multi•mounts are patented under US Patents # 6,470,612, # 6,974,290, European Patent #1095366 and counterparts thereof in other countries.

Pizazz and multi•mount are registered trademarks of Pizazz International Limited. © 2011

[www.pizazzsystems.com](http://www.pizazzsystems.com)